

VACUUM PUMP SYSTEM LABOPORT® SR 820 G



Technical data

| Flow rate [m³/h] at atm. pressure | 1.2 | |
|------------------------------------|------------------------------------|--|
| Flow rate [I/min] at atm. pressure | 20 | |
| Ultimate vacuum [mbar abs.] | 6.0 | |
| Operating pressure [bar] | 0.1 | |
| Voltage [V] | 100-240 | |
| Frequencies [Hz] | 50/60 | |
| Protection class | IP30 | |
| Power P ₁ [W] | 60 | |
| Operating current [A] | 0.35 (240 V AC) 0.66 (100 V AC) | |
| With thermal switch and power fuse | | |

Possible combinations

When combined with the VC 900 vacuum control unit and the connection cable, the rotational speed is controlled in accordance with the requirements of the process. Ideal for combining with all common vacuum controllers with valve control.

Technical features

- Vacuum system comprising chemically resistant diaphragm vacuum pump, base plate and two separator flasks on suction and pressure side
- Modular expandable
- 100% oil-free transfer thereby pure transferring, evacuation and compression of gases
- High level of vapor and condensate compatibility
- Ideal for extremely aggressive / corrosive gases and vapors
- Integrated gas ballast valve
- 3-color status display for in operation / stand-by / error
- Integrated rotational speed control
- Environmentally friendly
- Start against ultimate vacuum of the pump

MATERIALS

| Pump head | TFM™ PTFE |
|-----------|-------------|
| Diaphragm | PTFE-coated |
| Valves | FFPM |

OTHER DATA

| Weight [kg] | 10.7 |
|------------------------------------------------|------------------------------------------------------|
| Hose connections | Inlet: For hose ID 8 – 9.5 Outlet: For hose ID 10 |
| Dimensions W x H x D [mm] | 282 x 234 x 260 |
| Permissible media and ambient temperature [°C] | +5 to +40 |


| SPARE PARTS | ID |
|------------------------------|--------|
| Spare parts kit pump N 820 G | 331051 |
| Spare parts kit System* | 331054 |

*Includes spare parts kit ID 331051 + additional O-Rings for a service of the complete system







Dimensions



Performance characteristics





| ACCESSORIES | ID |
|----------------------------------------------------------------|--------|
| Separator flask | 047729 |
| Hose connector with O-ring (FPM) | 323609 |
| Hose connector PP (for hose ID 10) | 026237 |
| Screw connection cap red, GL 18 (for hose connector ID 026237) | 025980 |
| Hose connector PP (for hose ID 8) | 025981 |

| 025982 |
|--------|
| 316279 |
| 323829 |
| 323830 |
| 323044 |
| 026432 |
| |